Physica C 166 (1990) 545–554
North-Holland

AUTHOR INDEX TO VOLUME 166

Adachi, H., see S. Kohiki 166 (1990) 437
Agarwal, S.K., see P. Kulkarni 166 (1990) 530
Andrianov, V.A., O.L. Anisimova, M.G. Kozin, A.Yu. Pentin, S.I. Semenov, V.S. Shpinel, L.I. Leonyuk, V.V. Moshchalkov and S.V. Red'ko, Emission Mössbauer spectroscopy of $YBa_2(Cu_{0.98}Fe_{0.02})_3(^{57}Co)O_{7-y}$ single crystal 166 (1990) 248
Anisimova, O.L., see V.A. Andrianov 166 (1990) 248
Aoki, H., see A. Matsushita 166 (1990) 100
Aubin, M., see P. Dufour 166 (1990) 431
Awana, V.P.S., see P. Kulkarni 166 (1990) 530
Ayache, C., see E. Bonjour 166 (1990) 451

Bach, H., see R. Kubiak 166 (1990) 523
Baggio Saitovitch, E., R.B. Scorzelli, I. Souza Azevedo, C.A. dos Santos and F.J. Litterst, ^{57}Fe Mössbauer studies on semiconducting and superconducting La–Ba–Cu–O 166 (1990) 518
Bando, Y., see Y. Iye 166 (1990) 62
Banville, M., see P. Dufour 166 (1990) 431
Bernasconi, A., A. Schilling, J.D. Guo and H.R. Ott, Specific heat, magnetization and resistivity measurements on $HoBa_2Cu_4O_8$ 166 (1990) 393
Berthier, C., see M. Horvatić 166 (1990) 151
Berthier, C., see P. Butaud 166 (1990) 301
Berthier, Y., see M. Horvatić 166 (1990) 151
Berthier, Y., see P. Butaud 166 (1990) 301
Beskrovnyi, A.I., M. Dlouhá, Z. Jirák, S. Vratislav and E. Pollert, Neutron diffraction study of the modulated structure of $Bi_2(Sr, Ca)_3Cu_2O_{8+y}$ 166 (1990) 79
Bhagwat, K.V. and P. Chaddah, Hysteretic loss in hard superconductor samples with non-zero demagnetization factor 166 (1990) 1
Bjørnholm, T., see J.J. Neumeier 166 (1990) 191
Bonjour, E., R. Calemczuk, A.F. Khoder, C. Ayache, V. Pagnon, P. Régnier, L. Chaffron, P. Monod and N. Bontemps, Anisotropic specific heat behavior of textured $YBa_2Cu_3O_7$ under a magnetic field 166 (1990) 451
Bontemps, N., see E. Bonjour 166 (1990) 451
Borsa, F., see A. Rigamonti 166 (1990) 310
Brom, H.B., see D.M. de Leeuw 166 (1990) 349
Brown, P.J., see H. Maletta 166 (1990) 9
Bruggink, W.H.M., see H. Verweij 166 (1990) 372
Burlachkov, L.I., On the superconductivity type in the Chevrel phase compound $Cu_{1.8}Mo_6S_8$ 166 (1990) 25
Burlachkov, L.I. and L.I. Glazman, Twin boundaries and upper critical field H_{c2} in Y–Ba–Cu–O monocrystal 166 (1990) 75
Butaud, P., see M. Horvatić 166 (1990) 151
Butaud, P., M. Horvatić, Y. Berthier, P. Segransan, Y. Kitaoka, C. Berthier and H. Katayama-Yoshida, ^{17}O NMR in $YBa_2Cu_3O_{6.65}$. Discrimination between t–J and two-band models: a new approach 166 (1990) 301

Caignaert, V., see R.J. Nelmes 166 (1990) 329
Calemczuk, R., see E. Bonjour 166 (1990) 451
Carel, C., see J.R. Gavarri 166 (1990) 323
Carlson, K.D., see H.H. Wang 166 (1990) 57
Carneiro, C.E., M.J. De Oliveira, S.R.A. Salinas and G.V. Uimin, Hole spectrum in the two-dimensional Hubbard model 166 (1990) 206
Cataudella, V. and P. Minnhagen, Simple estimates for vortex fluctuations in connection with high-T_c superconductors 166 (1990) 442
Chaddah, P., see K.V. Bhagwat 166 (1990) 1
Chaffron, L., see E. Bonjour 166 (1990) 451
Chattopadhyay, T., see H. Maletta 166 (1990) 9
Chaudhari, P., see R. Gross 166 (1990) 277
Choo, W.K., see C. Ree 166 (1990) 221
Chrzanowski, J., see J.C. Irwin 166 (1990) 456
Chu, M.Y., see H.W. Zandbergen 166 (1990) 255
Chumbley, L.S., see M.J. Kramer 166 (1990) 115
Clearfield, A., see R.A. Mohan Ram 166 (1990) 125
Continenza, A., see A.J. Freeman 166 (1990) 317
Corti, M., see A. Rigamonti 166 (1990) 310
Couach, M., see M. Horvatić 166 (1990) 151
Cuvier, S., see J.T. Masiakowski 166 (1990) 140

DeJonghe, L.C., see H.W. Zandbergen 166 (1990) 255
De la Mora, P., see J. Schoenes 166 (1990) 145
De Leeuw, D.M., W.A. Groen, L.F. Feiner and E.E. Havinga, Correlation between the superconducting transition temperature and crystal structure of high-T_c cuprate compounds 166 (1990) 133
De Leeuw, D.M., W.A. Groen, J.C. Jol, H.B. Brom and H.W. Zandbergen, Hole doping in $Tl_2Ba_2CuO_{6+\delta}$ (T_c=0–80 K) investigated by ^{205}Tl nuclear magnetic resonance 166 (1990) 349
De Oliveira, M.J., see C.E. Carneiro 166 (1990) 206
Dlouhá, M., see A.I. Beskrovnyi 166 (1990) 79
Dos Santos, C.A., see E. Baggio Saitovitch 166 (1990) 518
Dufour, P., S. Jandl, M. Banville, P. Fournier and M. Aubin, Infrared reflectance of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-u}$ 166 (1990) 431

Eibschutz, M., see M.E. Lines 166 (1990) 235
Endoh, Y., see K. Takada 166 (1990) 203
Enz, C.P. and Z.M. Galasiewicz, On the influence of oxygen anharmonic vibrations on the isotope effect of high T_c superconductors 166 (1990) 49
Escudero, R., E. Guarner and F. Morales, Superconducting energy gap of single-crystal $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ by electron tunneling 166 (1990) 15

Fastnacht, R.A., see T.H. Tiefel 166 (1990) 408
Feiner, L.F., see D.M. de Leeuw 166 (1990) 133
Fesenko, V.I., see A.D. Sidorenko 166 (1990) 167
Fournier, P., see P. Dufour 166 (1990) 431
Freeman, A.J., A. Continenza, S. Massidda and J.C. Grossman, Structural and electronic properties and possible superconductivity in simple cubic Fe 166 (1990) 317

Frikkee, E., see H. Verweij 166 (1990) 372
Fu, W.T., see H.W. Zandbergen 166 (1990) 502
Fueki, K., Y. Idemoto and H. Ishizuka, Oxygen nonstoichiometry of $Y(Ba_{1-x}Sr_x)_2Cu_3O_{7-\delta}$ superconductor 166 (1990) 261
Fueki, K., see Y. Idemoto 166 (1990) 513
Fujimoto, H., see S. Gotoh 166 (1990) 215
Fukami, T., see Y. Horie 166 (1990) 87
Fukunaga, O., see N. Ohashi 166 (1990) 465

Galasiewicz, Z.M., see C.P. Enz 166 (1990) 49
Gavarri, J.R. and C. Carel, Structural evolution, thermal expansion anomaly and the Grüneisen constants of the superconductor $YBa_2Cu_3O_7$ 166 (1990) 323
Gegenheimer, B., see M.R. Koblischka 166 (1990) 36
Geiser, U., see H.H. Wang 166 (1990) 57
Glazman, L.I., see L.I. Burlachkov 166 (1990) 75
Goldstone, J.A., see M.A. Subramanian 166 (1990) 19
Gopalan, P., see K.S. Nanjundaswamy 166 (1990) 361
Gotaas, J., see J.J. Neumeier 166 (1990) 191
Gotoh, S., M. Murakami, H. Fujimoto, N. Koshizuka and S. Tanaka, AC susceptibility study of YBaCuO prepared by quench and melt growth process 166 (1990) 215
Gougeon, P., see M. Saint-Paul 166 (1990) 405
Greedan, J.E., see J.S. Xue 166 (1990) 29
Greenblatt, M., see S. Li 166 (1990) 535
Groen, W.A., see D.M. de Leeuw 166 (1990) 133
Groen, W.A., see H.W. Zandbergen 166 (1990) 282
Groen, W.A., see D.M. de Leeuw 166 (1990) 349
Gronsky, R., see H.W. Zandbergen 166 (1990) 255
Gross, R., P. Chaudhari, A. Gupta and G. Koren, Persistent supercurrents in composite rings of high-T_c and conventional superconductors 166 (1990) 277
Grossman, J.C., see A.J. Freeman 166 (1990) 317
Gruehn, R., see C. Rüscher 166 (1990) 158
Guarner, E., see R. Escudero 166 (1990) 15
Guilloux-Viry, M., M.G. Karkut, A. Perrin, O. Peña, J. Padiou and M. Sergent, In-situ $YBa_2Cu_3O_{7-x}$ thin films epitaxially grown by single target DC sputtering 166 (1990) 105
Guo, J.D., see A. Bernasconi 166 (1990) 393
Gupta, A., see R. Gross 166 (1990) 277

Hadjiev, V.G., M.N. Iliev, C. Raptis, L. Kalev and B.M. Wanklyn, Polarised Raman scattering from orhtorhombic and tetragonal $GdBa_2Cu_3O_{7-\delta}$ single crystals: new evidence of chains-to-planes charge redistribution 166 (1990) 225
Hasegawa, T., see K. Suzuki 166 (1990) 357
Hatton, P.D., see R.J. Nelmes 166 (1990) 329
Havinga, E.E., see D.M. de Leeuw 166 (1990) 133
Hayashi, S., see S. Kohiki 166 (1990) 437
Helmholdt, R.B., see H. Verweij 166 (1990) 372
Henry, J.Y., see M. Horvatić 166 (1990) 151
Hidaka, Y., see K. Takada 166 (1990) 203

Hoevers, H.F.C., P.J.M. van Bentum and H. van Kempen, Reply to the Comment by N.A. Tulina 166 (1990) 543
Holland, G.F., see H.W. Zandbergen 166 (1990) 255
Honig, J.M., see K.S. Nanjundaswamy 166 (1990) 361
Horie, Y., Y. Terashi, T. Fukami and S. Mase, Effect of magnetic field on the sound velocity discontinuity near T_c in high T_c superconductors 166 (1990) 87
Horvatić, M., P. Butaud, P. Segransan, Y. Berthier, C. Berthier, J.Y. Henry and M. Couach, Analysis of the $^{63,65}Cu$ NMR data as a function of oxygen concentration in $YBa_2Cu_3O_{7-\delta}$ 166 (1990) 151
Horvatić, M., see P. Butaud 166 (1990) 301
Hulscher, R.S., see H.H. Wang 166 (1990) 57

Idemoto, Y., see K. Fueki 166 (1990) 261
Idemoto, Y., K. Fueki and T. Shinbo, T–log P_{O_2} diagram and copper valence of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 166 (1990) 513
Igbal, Z., see F.J. Owens 166 (1990) 231
Ikawa, H., see N. Ohashi 166 (1990) 465
Iliev, M.N., see V.G. Hadjiev 166 (1990) 225
Indenbom, M.V., N.N. Kolesnikov, M.P. Kulakov, I.G. Naumenko, V.I. Nikitenko, A.A. Polyanskii, N.F. Vershinin and V.K. Vlasko-Vlasov, Direct study of the magnetic flux penetration and trapping in HTSC 166 (1990) 486
Irwin, J.C., J. Chrzanowski, T. Wei, D.J. Lockwood and A. Wold, Raman scattering from single crystals of cupric oxide 166 (1990) 456
Ishikawa, N., see R. Yoshizaki 166 (1990) 417
Ishizuka, H., see K. Fueki 166 (1990) 261
Iye, Y., S. Nakamura, T. Tamegai, T. Terashima, K. Yamamoto and Y. Bando, Angular dependent transport studies in the mixed state of $YBa_2Cu_3O_{7-y}$ and $Bi_2Sr_2CaCu_2O_{8+y}$ 166 (1990) 62

Jandl, S., see P. Dufour 166 (1990) 431
Jin, S., see T.H. Tiefel 166 (1990) 408
Jirák, Z., see A.I. Beskrovnyi 166 (1990) 79
Jol, J.C., see D.M. de Leeuw 166 (1990) 349

Kajitani, T., see M. Kikuchi 166 (1990) 497
Kakol, Z., see K.S. Nanjundaswamy 166 (1990) 361
Kaldis, E., see J. Schoenes 166 (1990) 145
Kalev, L., see V.G. Hadjiev 166 (1990) 225
Kamada, T., see S. Kohiki 166 (1990) 437
Kammlott, G.W., see T.H. Tiefel 166 (1990) 408
Karkut, M.G., see M. Guilloux-Viry 166 (1990) 105
Karpinski, J., see J. Schoenes 166 (1990) 145
Katayama-Yoshida, H., see P. Butaud 166 (1990) 301
Kawai, J., see S. Kohiki 166 (1990) 437
Keller, J., see J. Schoenes 166 (1990) 145
Kevan, L., see J.T. Masiakowski 166 (1990) 140
Khan, H.R. and R. Kuentzler, Low temperature specific heat and superconductivity related to microstructure and magnetism of orthorhombic and tetragonal phases: $Y_{(1-x)}Ho_xBa_2Cu_3O_{(7-\delta)}$ (x=0, 0.5 and 1) 166 (1990) 266

Khan, Y., see R. Kubiak 166 (1990) 523
Khoder, A.F., see E. Bonjour 166 (1990) 451
Kikuchi, M., S. Nakajima, Y. Syono, K. Nagase, R. Suzuki, T. Kajitani, N. Kobayashi and Y. Muto, Thermogravimetric studies of the over-doping state of $Tl_2Ba_2CuO_{6-\delta}$ due to charge transfer 166 (1990) 497
Kimura, H., see J.T. Masiakowski 166 (1990) 140
Kirk, W.P., see R.A. Mohan Ram 166 (1990) 125
Kishio, K., see K. Suzuki 166 (1990) 357
Kita, E., see R. Yoshizaki 166 (1990) 417
Kitaoka, Y., see P. Butaud 166 (1990) 301
Kitazawa, K., see K. Suzuki 166 (1990) 357
Kobayashi, N., see M. Kikuchi 166 (1990) 497
Kobiela, P.S., see R.A. Mohan Ram 166 (1990) 125
Koblischka, M.R., N. Moser, B. Gegenheimer and H. Kronmüller, Determination of flux-density gradients in $YBa_2Cu_3O_{7-\delta}$ superconductors using the high-resolution Faraday effect 166 (1990) 36
Kohiki, S., J. Kawai, T. Kamada, S. Hayashi, H. Adachi, K. Setsune and K. Wasa, An effect of reduction on $Nd_{1.85}Ce_{0.15}CuO_4$ thin films 166 (1990) 437
Kolesnikov, N.N., see M.V. Indenbom 166 (1990) 486
Koren, G., see R. Gross 166 (1990) 277
Koriyama, S., K. Sakuyama, T. Maeda, H. Yamauchi and S. Tanaka, Superconductivity in Pb-based layered copper oxides, $(Pb_{0.5}Cu_{0.5})(Sr,Ba)_2(Y,Ca)Cu_2O_7$ 166 (1990) 413
Koshizuka, N., see S. Gotoh 166 (1990) 215
Kozin, M.G., see V.A. Andrianov 166 (1990) 248
Kramer, M.J., L.S. Chumbley, R.W. McCallum, W.J. Nellis, S. Weir and E.P. Kvam, Deformation induced defects in $ReBa_2Cu_3O_{7-\delta}$ 166 (1990) 115
Kronmüller, H., see M.R. Koblischka 166 (1990) 36
Kubiak, R., K. Westerholt, G. Pelka, H. Bach and Y. Khan, Pressure dependence of the superconducting transition temperature of Bi- and Tl-based high-T_c superconductors 166 (1990) 523
Kuentzler, R., see H.R. Khan 166 (1990) 266
Kulakov, M.P., see M.V. Indenbom 166 (1990) 486
Kulkarni, P., S.K. Kulkarni, A.S. Nigavekar, S.K. Agarwal, V.P.S. Awana and A.V. Narlikar, Superconductivity in Ni substituted $Bi_2Ca_1Sr_2Cu_{2-x}Ni_xO_y$ 166 (1990) 530
Kulkarni, S.K., see P. Kulkarni 166 (1990) 530
Kvam, E.P., see M.J. Kramer 166 (1990) 115
Kwei, G.H., see M.A. Subramanian 166 (1990) 19
Kwok, W.K., see H.H. Wang 166 (1990) 57

Lapinskas, S., see V.E. Zubkus 166 (1990) 472
Larsen, N.F., see H.H. Wang 166 (1990) 57
Ledbetter, H. and M. Lei, Madelung potentials and valences in the $Y_1Ba_2Cu_3O_7$ superconductor 166 (1990) 483
Lei, M., see H. Ledbetter 166 (1990) 483
Leonyuk, L.I., see V.A. Andrianov 166 (1990) 248
Levet, J.C., see M. Saint-Paul 166 (1990) 405
Lewicki, A., see K.S. Nanjundaswamy 166 (1990) 361
Li, S., K.V. Ramanujachary and M. Greenblatt, Structural and electronic properties of $BaB_{1-x}Tl_xO_3$ $(0.0 \leqslant x \leqslant 0.50)$ 166 (1990) 535

Lin, Y.P., see J.S. Xue 166 (1990) 29
Lines, M.E. and M. Eibschutz, The ligand coordinations and valencies of the primary iron sites in $YBa_2Cu_{3-x}Fe_xO_y$ 166 (1990) 235
Litterst, F.J., see E. Baggio Saitovitch 166 (1990) 518
Liu, X., see J.H. Wang 166 (1990) 399
Lockwood, D.J., see J.C. Irwin 166 (1990) 456

Maeda, T., see S. Koriyama 166 (1990) 413
Maekawa, S., see Y. Ohta 166 (1990) 385
Maletta, H., E. Pörschke, T. Chattopadhyay and P.J. Brown, 2-D and 3-D magnetic ordering of Er in $ErBa_2Cu_3O_x$ ($6 \leqslant x \leqslant 7$) 166 (1990) 9
Maple, M.B., see J.J. Neumeier 166 (1990) 191
Mase, S., see Y. Horie 166 (1990) 87
Masiakowski, J.T., M. Puri, S. Cuvier, M. Romanelli, R.N. Schwartz, H. Kimura and L. Kevan, Low field microwave absorption of a superconducting $Bi_2Sr_2CaCu_2O_x$ crystal 166 (1990) 140
Massidda, S., see A.J. Freeman 166 (1990) 317
Matsumoto, T., see A. Matsushita 166 (1990) 100
Matsushita, A., H. Aoki and T. Matsumoto, Positive magnetoconductance in $YBa_2(Cu_{0.9}Fe_{0.1})_3O_y$ and $YBa_2(Cu_{0.85}Fe_{0.15})_3O_y$ 166 (1990) 100
Matsushita, T. and B. Ni, Broad resistive transition under magnetic field in high-temperature superconductors 166 (1990) 423
McCabe, G.D., see H.H. Wang 166 (1990) 57
McCallum, R.W., see M.J. Kramer 166 (1990) 115
McMahon, M.I., see R.J. Nelmes 166 (1990) 329
Meshkov, S.V., S.N. Molotkov, S.S. Nazin, I.S. Smirnova and V.V. Tatarskii, Electronic structure of the superconducting compounds $TlBa_2CaCu_2O_7$ and $TlBa_2Ca_2Cu_3O_9$ 166 (1990) 476
Metcalf, P., see K.S. Nanjundaswamy 166 (1990) 361
Minnhagen, P., see V. Cataudella 166 (1990) 442
Mohan Ram, R.A., A. Clearfield, P.S. Kobiela and W.P. Kirk, Synthetic studies in the Pb doped $Bi_2(Ca, Sr)_{n+1}Cu_nO_{2n+4+\delta}$ family of superconductors 166 (1990) 125
Molotkov, S.N., see S.V. Meshkov 166 (1990) 476
Monod, P., see E. Bonjour 166 (1990) 451
Morales, F., see R. Escudero 166 (1990) 15
Moser, N., see M.R. Koblischka 166 (1990) 36
Moshchalkov, V.V., A.A. Zhukov, D.K. Petrov, V.I. Voronkova and V.K. Vanovskii, Temperature dependences of the first critical field and critical current in the untwinned $TmBa_2Cu_3O_x$ superconducting single crystals 166 (1990) 185
Moshchalkov, V.V., see V.A. Andrianov 166 (1990) 248
Murakami, M., see S. Gotoh 166 (1990) 215
Murakami, T., see K. Takada 166 (1990) 203
Muto, Y., see M. Kikuchi 166 (1990) 497

Nagase, K., see M. Kikuchi 166 (1990) 497
Nakajima, S., see M. Kikuchi 166 (1990) 497
Nakamura, S., see Y. Iye 166 (1990) 62
Nanjundaswamy, K.S., A. Lewicki, Z. Kakol, P. Gopalan, P. Metcalf, J.M. Honig, C.N.R. Rao and J. Spałek, Magnetic properties of pure, Sr- and Ca-doped $La_2NiO_{4+\delta}$ ceramics: onset of high-T_c superconductivity 166 (1990) 361

Narlikar, A.V., see P. Kulkarni 166 (1990) 530
Naumenko, I.G., see M.V. Indenbom 166 (1990) 486
Nazin, S.S., see S.V. Meshkov 166 (1990) 476
Nellis, W.J., see M.J. Kramer 166 (1990) 115
Nelmes, R.J., N.B. Wilding, P.D. Hatton, V. Caignaert, B. Raveau, M.I. McMahon and R.O. Piltz, Pressure dependence of the structure of La–Sr–Cu–O 166 (1990) 329
Neumeier, J.J., T. Bjørnholm, M.B. Maple, J.J. Rhyne and J. Gotaas, Neutron diffraction study of Pr valence and oxygen ordering in the $Y_{1-x}Pr_xBa_2Cu_3O_{7:im\delta}$ system 166 (1990) 191
Ni, B., see T. Matsushita 166 (1990) 423
Nigavekar, A.S., see P. Kulkarni 166 (1990) 530
Nikitenko, V.I., see M.V. Indenbom 166 (1990) 486
Noël, H., see M. Saint-Paul 166 (1990) 405

Ohashi, N., H. Ikawa, O. Fukunaga and J. Tanaka, Structural features and electrical properties of the $(Ln_{1-x-y}, Ln'_x, Sr_y)_2CuO_{4-\delta}$ T*-phase compounds 166 (1990) 465
Ohta, Y., T. Tohyama and S. Maekawa, Transition temperature in copper-oxide superconductors correlated with energy level of apical oxygen 166 (1990) 385
Okada, H., M. Takano and Y. Takeda, Synthesis of Nd_2CuO_4-type R_2CuO_4(R=Y, Dy, Ho, Er, Tm) under high pressure 166 (1990) 111
Ott, H.R., see A. Bernasconi 166 (1990) 393
Ovchinnikov, S.G. and I.S. Sandalov, On non-homogeneous states in a two-dimensional Hubbard model 166 (1990) 197
Owens, F.J. and Z. Igbal, Non-resonant microwave absorption in the high temperature superconductor $Bi_2Sr_2CaCu_2O_{8+\delta}$ 166 (1990) 231

Padiou, J., see M. Guilloux-Viry 166 (1990) 105
Pagnon, V., see E. Bonjour 166 (1990) 451
Parise, J.B., see M.A. Subramanian 166 (1990) 19
Paz-Pujalt, G.R., Solid state reactions in the formation of Bi–Sr–Ca–Cu–oxide superconductor from metallo-organic precursors 166 (1990) 177
Pelka, G., see R. Kubiak 166 (1990) 523
Peña, O., see M. Guilloux-Viry 166 (1990) 105
Pentin, A.Yu., see V.A. Andrianov 166 (1990) 248
Perrin, A., see M. Guilloux-Viry 166 (1990) 105
Petrou, A., see J.H. Wang 166 (1990) 399
Petrov, D.K., see V.V. Moshchalkov 166 (1990) 185
Piltz, R.O., see R.J. Nelmes 166 (1990) 329
Plewes, J.T., see T.H. Tiefel 166 (1990) 408
Pollert, E., see A.I. Beskrovnyi 166 (1990) 79
Polyanskii, A.A., see M.V. Indenbom 166 (1990) 486
Pörschke, E., see H. Maletta 166 (1990) 9
Potel, M., see M. Saint-Paul 166 (1990) 405
Poumellec, B., Percolation of linear clusters in $YBa_2Cu_3O_x$: a tool for explaining the ortho–tetragonal phase transition 166 (1990) 289
Puri, M., see J.T. Masiakowski 166 (1990) 140

Qi, M., see J.H. Wang 166 (1990) 399

Ramanujachary, K.V., see S. Li 166 (1990) 535
Rao, C.N.R., see K.S. Nanjundaswamy 166 (1990) 361
Raptis, C., see V.G. Hadjiev 166 (1990) 225
Raveau, B., see R.J. Nelmes 166 (1990) 329
Red'ko, S.V., see V.A. Andrianov 166 (1990) 248
Ree, C. and W.K. Choo, Frequency and field dependence of complex magnetic AC susceptibility in sintered Tl–Ba–Ca–Cu–O superconductor 166 (1990) 221
Reedyk, M., see J.S. Xue 166 (1990) 29
Rega, T., see A. Rigamonti 166 (1990) 310
Régnier, P., see E. Bonjour 166 (1990) 451
Rhyne, J.J., see J.J. Neumeier 166 (1990) 191
Rigamonti, A., M. Corti, T. Rega, J. Ziolo and F. Borsa, ^{63}Cu and ^{139}La NQR relaxation and superconducting transition in $La_{2-x}Sr_xCuO_4$ 166 (1990) 310
Robledo, A. and C. Varea, Spin–hole model with magnetic vortex–antivortex pairing mechanism for copper–oxide superconductors 166 (1990) 334
Romanelli, M., see J.T. Masiakowski 166 (1990) 140
Rüffer, N., see C. Rüscher 166 (1990) 158
Rüscher, C., N. Rüffer, F.-J. Seiwert and R. Gruehn, Single polaron and bipolaron absorption in Ti_4O_7 above and below the metal–insulator transition 166 (1990) 158

Saint-Paul, M., J.L. Tholence, H. Noël, J.C. Levet, M. Potel and P. Gougeon, Sound velocity in $Bi_2Sr_2CaCu_2O_8$ single crystals 166 (1990) 405
Sakuyama, K., see S. Koriyama 166 (1990) 413
Salinas, S.R.A., see C.E. Carneiro 166 (1990) 206
Sandalov, I.S., see S.G. Ovchinnikov 166 (1990) 197
Sawada, H., see R. Yoshizaki 166 (1990) 417
Schilling, A., see A. Bernasconi 166 (1990) 393
Schoenes, J., J. Karpinski, E. Kaldis, J. Keller and P. de la Mora, Anisotropy of optical and transport properties in the *a–b* plane of the high temperature superconductor $YBa_2Cu_4O_8$ 166 (1990) 145
Schwartz, R.N., see J.T. Masiakowski 166 (1990) 140
Scorzelli, R.B., see E. Baggio Saitovitch 166 (1990) 518
Segransan, P., see M. Horvatić 166 (1990) 151
Segransan, P., see P. Butaud 166 (1990) 301
Seiwert, F.-J., see C. Rüscher 166 (1990) 158
Semenov, S.I., see V.A. Andrianov 166 (1990) 248
Sergent, M., see M. Guilloux-Viry 166 (1990) 105
Setsune, K., see S. Kohiki 166 (1990) 437
Shinbo, T., see Y. Idemoto 166 (1990) 513
Shpinel, V.S., see V.A. Andrianov 166 (1990) 248
Sidorenko, A.D., V.P. Smilga and V.I. Fesenko, μSR and determination of vortex lattice characteristics of anisotropic high-T_c superconductors 166 (1990) 167
Smilga, V.P., see A.D. Sidorenko 166 (1990) 167
Smirnova, I.S., see S.V. Meshkov 166 (1990) 476
Soulen Jr., R.J. and S.A. Wolf, Magnetic phase diagrams for high transition temperature superconductors 166 (1990) 95
Souza Azevedo, I., see E. Baggio Saitovitch 166 (1990) 518
Spałek, J., see K.S. Nanjundaswamy 166 (1990) 361

Stacy, A., see H.W. Zandbergen 166 (1990) 255
Stager, C.V., see J.S. Xue 166 (1990) 29
Steeman, R.A., see H. Verweij 166 (1990) 372
Subramanian, M.A., G.H. Kwei, J.B. Parise, J.A. Goldstone and R.B. Von Dreele, $TlBa_{1.2}La_{0.8}CuO_5$: a superconductor produced by reduction, rather than oxidation, of the CuO_2 planes 166 (1990) 19
Suzuki, K., K. Kishio, T. Hasegawa and K. Kitazawa, Oxygen nonstoichiometry of the (Nd, Ce)$_2CuO_{4-\delta}$ system 166 (1990) 357
Suzuki, R., see M. Kikuchi 166 (1990) 497
Syono, Y., see M. Kikuchi 166 (1990) 497

Takada, K., Y. Watanabe, K. Yamada, Y. Hidaka, T. Murakami and Y. Endoh, On the crystal distortion in tetragonal Nd_2CuO_4 166 (1990) 203
Takano, M., see H. Okada 166 (1990) 111
Takeda, Y., see H. Okada 166 (1990) 111
Tamegai, T., see Y. Iye 166 (1990) 62
Tanaka, J., see N. Ohashi 166 (1990) 465
Tanaka, K., Y. Yamaguchi and T. Yamabe, Examination of pairing via effective van der Waals interaction in high-temperature superconductivity 166 (1990) 53
Tanaka, S., see S. Gotoh 166 (1990) 215
Tanaka, S., see S. Koriyama 166 (1990) 413
Tasaki, A., see R. Yoshizaki 166 (1990) 417
Tatarskii, V.V., see S.V. Meshkov 166 (1990) 476
Terashi, Y., see Y. Horie 166 (1990) 87
Terashima, T., see Y. Iye 166 (1990) 62
Terentiev, A.N., Disappearance of friction in a levitated $YBa_2Cu_3O_{7-x}$ superconductor in a variable magnetic field 166 (1990) 71
Tholence, J.L., see M. Saint-Paul 166 (1990) 405
Thompson, J.E., see H.H. Wang 166 (1990) 57
Tiefel, T.H., S. Jin, G.W. Kammlott, J.T. Plewes and R.A. Fastnacht, Recovery of high-T_c superconductivity in Y–Ba–Cu–O doped with reacting metals 166 (1990) 408
Tohyama, T., see Y. Ohta 166 (1990) 385
Tornau, E.E., see V.E. Zubkus 166 (1990) 472

Uimin, G.V., see C.E. Carneiro 166 (1990) 206

Van Bentum, P.J.M., see H.F.C. Hoevers 166 (1990) 543
Van Kempen, H., see H.F.C. Hoevers 166 (1990) 543
Vanovskii, V.K., see V.V. Moshchalkov 166 (1990) 185
Van Ruitenbeek, J.M., see H.W. Zandbergen 166 (1990) 502
Varea, C., see A. Robledo 166 (1990) 334
Vashon, M.D., see H.H. Wang 166 (1990) 57
Vershinin, N.F., see M.V. Indenbom 166 (1990) 486
Verweij, H., W.H.M. Bruggink, R.A. Steeman, E. Frikkee and R.B. Helmholdt, Oxidation enthalpy of $YBa_2Cu_3O_{6+y}$ in relation with phase behaviour and stoichiometry 166 (1990) 372
Vlasko-Vlasov, V.K., see M.V. Indenbom 166 (1990) 486
Von Dreele, R.B., see M.A. Subramanian 166 (1990) 19

Voronkova, V.I., see V.V. Moshchalkov 166 (1990) 185
Vratislav, S., see A.I. Beskrovnyi 166 (1990) 79

Wang, H.H., K.D. Carlson, U. Geiser, W.K. Kwok, M.D. Vashon, J.E. Thompson, N.F. Larsen, G.D. McCabe, R.S. Hulscher and J.M. Williams, A new ambient-pressure organic superconductor: $(BEDT\text{-}TTF)_2(NH_4)Hg(SCN)_4$ 166 (1990) 57
Wang, J.H., M. Qi, X. Liu and A. Petrou, Evidence for a least vibration model of superconductivity 166 (1990) 399
Wanklyn, B.M., see V.G. Hadjiev 166 (1990) 225
Wasa, K., see S. Kohiki 166 (1990) 437
Watanabe, Y., see K. Takada 166 (1990) 203
Wei, T., see J.C. Irwin 166 (1990) 456
Weir, S., see M.J. Kramer 166 (1990) 115
Westerholt, K., see R. Kubiak 166 (1990) 523
Wilding, N.B., see R.J. Nelmes 166 (1990) 329
Williams, J.M., see H.H. Wang 166 (1990) 57
Wold, A., see J.C. Irwin 166 (1990) 456
Wolf, S.A., see R.J. Soulen Jr. 166 (1990) 95

Xue, J.S., M. Reedyk, Y.P. Lin, C.V. Stager and J.E. Greedan, Synthesis, characterization and superconducting properties of $Pb_2Sr_2(Y/Ca)Cu_3O_{9-\delta}$ single crystals 166 (1990) 29

Yamabe, T., see K. Tanaka 166 (1990) 53
Yamada, K., see K. Takada 166 (1990) 203
Yamaguchi, Y., see K. Tanaka 166 (1990) 53
Yamamoto, K., see Y. Iye 166 (1990) 62
Yamauchi, H., see S. Koriyama 166 (1990) 413
Yoshizaki, R., N. Ishikawa, H. Sawada, E. Kita and A. Tasaki, Magnetic susceptibility of normal state and superconductivity of $La_{2-x}Sr_xCuO_4$ 166 (1990) 417

Zandbergen, H.W., R. Gronsky, M.Y. Chu, L.C. DeJonghe, G.F. Holland and A. Stacy, The structure and properties of [100] 90° rotation twin boundaries in $YBa_2Cu_3O_{7-\delta}$ 166 (1990) 255
Zandbergen, H.W. and W.A. Groen, New superstructures in as-synthesized and in-situ heated $(Bi, Pb)_2Sr_2YCu_2O_{8+\delta}$ 166 (1990) 282
Zandbergen, H.W., see D.M. de Leeuw 166 (1990) 349
Zandbergen, H.W., W.T. Fu and J.M. van Ruitenbeek, The effect of the oxygen content in $Pb_2SrLaCu_2O_{6+\delta}$ and $Pb_2Ba_2YCu_3O_{8+\delta}$ on the structural and superconducting properties 166 (1990) 502
Zhukov, A.A., see V.V. Moshchalkov 166 (1990) 185
Ziolo, J., see A. Rigamonti 166 (1990) 310
Zubkus, V.E., S. Lapinskas and E.E. Tornau, New superstructures on the $YBa_2Cu_3O_{7-x}$ phase diagram 166 (1990) 472

Physica C 166 (1990) 555–556
North-Holland

ANALYTIC SUBJECT INDEX TO VOLUME 166

AC-loss 1
– in $YBa_2Cu_3O_{7-\delta}$ 71
AC susceptibility
– of Tl–Ba–Ca–Cu–O 221
– of $YBa_2Cu_3O_{7-\delta}$ 215
AC susceptibility of superconductors 1
Andreev reflection
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 543
Anharmonicity
– of oxygen 49
Anisotropic superconductor
– of $Cu_{1.8}Mo_6S_8$ 25
Anisotropic superexchange 334
Anistropy of specific heat in magnetic fields
– of $YBa_2Cu_3O_7$ 451
Antiferromagnetic order
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) 62
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 62
– of CuO 456

Band structure
– of simple cubic Fe 317

Chemical reaction with Pt, Pd, Rh, Ru, Re
– of $YBa_2Cu_3O_{7-\delta}$ 408
Chevrel phase compound
– of $Cu_{1.8}Mo_6S_8$ 25
Correlation between T_c and energy level of apical oxygen 385
Correlation between T_c and the structure 133
Coulomb attractive interaction 53
Critical current density
– in $TmBa_2Cu_3O_{7-\delta}$ (single crystal) 185
Critical state model 1
Critical state model (Bean) 215

Defect structures
– in $REBa_2Cu_3O_{7-\delta}$ 115

Elastic constants
– of $YBa_2Cu_3O_7$ 323
Electrical resistivity
– of $Pb_2Sr_2(Y_1,Ca)Cu_3O_{9-\delta}$ (single crystal) 29
Electron diffraction
– of $(Bi,Pb)_2Sr_2YCa_2O_{8+\delta}$ 282
Electronic structure
– of $TlBa_2Ca_2Cu_3O_9$ 476
– of $TlBa_2CaCu_2O_7$ 476
– of $YBa_2Cu_3O_7$ 483
Electron tunneling
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 15
Energy gap
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 15
Enthalphy of oxidation
– in $YBa_2Cu_3O_{7-\delta}$ 372
ESR
– of (BEDT-TTF)$_2$(NH$_4$)Hg(SCN)$_4$ 57

Faraday effect
– in $YBa_2Cu_3O_{7-\delta}$ 36
Fe (simple cubic) 317
Fluctuation effects
– in ultrasound velocity 87
Flux creep
– in $Bi_2Sr_2CuCu_2O_{8+\delta}$ (thin film) 62
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 62
Flux creep (theory) 423
Flux-density gradients
– in $YBa_2Cu_3O_{7-\delta}$ 36
Flux lattice
– in high T_c superconductors 167
– in $Tl_2Ba_2CaCu_2O_x$ 486
– in $YBa_2Cu_3O_{7-\delta}$ 486
Flux penetration
– in $Tl_2Ba_2CaCu_2O_x$ 486
– in $YBa_2Cu_3O_{7-\delta}$ 486
Flux pinning (theory) 423
Frequency dependence
– of AC-susceptibility 221

High pressure effect
– in $REBa_2Cu_3O_{7-\delta}$ 115
High pressure effect of T_c
– in $Bi_2Sr_2Ca_2Cu_3O_{10}$ 523
– in $Bi_2Sr_2CaCu_2O_8$ (single crystal) 523
– in $Tl_2Ba_2Ca_2Cu_3O_{10}$ 523
HREM
– of $Tl_2Ba_2CuO_{6+\delta}$ 349
– of $YBa_2Cu_3O_{7-\delta}$ 255
Hubbard Hamiltonian
– two-dimensional 197
Hubbard model (2D) 206

Infrared spectroscopy
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 431
Isomer shift
– of $YBa_2Cu_{3-x}Fe_xO_y$ 235
Isotope effect 49

Knight shift
– in $YBa_2Cu_3O_{6.65}$ 301

Least vibrational model 399
Localization of holes 417
Lower critical field H_{c1}
– in $TmBa_2Cu_3O_{7-\delta}$ (single crystal) 185

Madelung energy
– in $YBa_2Cu_3O_7$ 483
Magnetic order
– of $ErBa_2Cu_3O_x$ ($6 \leqslant x \leqslant 7$) 9
Magnetic phase diagrams 95
Magnetic susceptibility
– of $La_{2-x}Sr_xCuO_4$ 417
Magnetism and superconductivity
– of $ErBa_2Cu_3O_x$ ($6 \leqslant x \leqslant 7$) 9
Magnetization
– of $HoBa_2Cu_4O_8$ 393
– of $La_{2-x}(Sr,Ca)_xNiO_{4+\delta}$ ($0 \leqslant x \leqslant 0.4$) 361
– of $YBa_2Cu_3O_{7-\delta}$ 71
Magnetoresistance
– of $YBa_2(Cu1-xFe_x)O_4$ 100
Metal–insulator transition
– of Ti_4O_7 158
Microwave absorption
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 231
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal 140
Modulated structures
– in $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ (single crystal) 79
Mössbauer spectroscopy
– of $YBa_2(Cu_{0.98}Fe_{0.02})_3{}^{57}CoO_{7-\delta}$ (single crystal) 248
– of $YBa_2Cu_{3-x}Fe_xO_y$ 235
Mössbauer spectroscopy of Fe
– in $La_{2-x}Ba_xCuO_4$ ($0 \leqslant x \leqslant 0.35$) 518
Muon spin rotation 167

Neutron diffraction
– of $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ (single crystal) 79
– of $ErBa_2Cu_3O_x$ ($6 \leqslant x \leqslant 7$) 9

- of $La_{2-x}Sr_xCuO_4$ 329
- of $TlBa_{1.2}La_{0.8}CuO_5$ 19
- of $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 191
- of $YBa_2Cu_3O_{7-\delta}$ 372

NMR
- of $^{63,65}Cu$ in $YBa_2Cu_3O_{7-\delta}$ ($0 \leqslant \delta \leqslant 0.35$) (single crystal) 151

NMR of ^{17}O
- in $YBa_2Cu_3O_{6.65}$ 301

NMR of ^{205}Tl
- in $Tl_2Ba_2CuO_{6+\delta}$ 349

NQR of ^{139}La
- in $La_{2-x}Sr_xCuO_4$ 310

NQR of ^{63}Cu
- in $La_{2-x}Sr_xCuO_4$ 310

Optical reflectivity
- in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 431
- of $YBa_2Cu_4O_8$ 145

Organic superconductor
- $(BEDT\text{-}TTF)_2(NH_4)Hg(SCN)_4$ 57

O–T transition
- in $YBa_2Cu_3O_x$ 289
- of $Y_{1-x}Ho_xBa_2Cu_3O_{7-\delta}$ ($x=0$, 0.5, 1) 266

Oxygen reduction
- of $Nd_{1.85}Ce_{0.15}CuO_4$ 437

Oxygen stoichiometry
- in $Nd_{1.85}Ce_{0.15}CuO_4$ 437
- in $Pb_2Ba_2YCu_3O_{8+\delta}$ 502
- in $Pb_2SrLaCu_2O_{6+\delta}$ 502
- in $Tl_2Ba_2CuO_{6-\delta}$ 497
- in $YBa_2Cu_3O_{7-\delta}$ 372
- in $YBa_{2-x}Sr_xCu_3O_{7-\delta}$ 261
- of $Nd_{1.85}Ce0.15CuO_{4-\delta}$ 513
- of $Nd_2CuO_{4-\delta}$ 357
- of $(Nd,Ce)_2CuO_{4-\delta}$ 357
- of $TlBa_{1.2}La_{0.8}CuO_5$ 19

Penetration depth
- in $TmBa_2Cu_3O_{7-\delta}$ (single crystal) 185
- of $(BEDT\text{-}TTF)_2(NH_4)Hg(SCN)_4$ 57

Phase diagram 95
- of $YBa_2Cu_3O_{7-\delta}$ 472

Point contact 15

Polaron
- in Ti_4O_7 158

Quench and melt growth
- of $YBa_2Cu_3O_{7-\delta}$ 215

Raman scattering
- of CuO 456
- of $GdBa_2Cu_3O_{7-\delta}$ (single crystal) ($0.7<\delta<0.9$) 225
- of Tl–Ba–Ca–Cu–O 399

Resistive broadening mechanisms 442

Resistivity
- in $YBa_2Cu_4O_8$ 145
- of $BaBi_{1-x}Tl_xO_3$ ($0.0 \leqslant x \leqslant 0.5$) 535
- of $HoBa_2Cu_4O_8$ 393

Resistivity transition in magnetic fields 423

Single-crystal growth
- of $Pb_2Sr_2(Y,Ca)Cu_3O_{9-\delta}$ 29

Specific heat
- of $HoBa_2Cu_4O_8$ 393

Specific heat, in magnetic fields
- of textured $YBa_2Cu_3O_7$ 451

Specific heat, low-T
- of $Y_{1-x}Ho_xBa_2Cu_3O_{7-\delta}$ ($x=0$, 0.5, 1) 266

Spin–hole model 334

Spin–lattice relaxation time T_1
- in $La_{2-x}Sr_xCuO_4$ 310
- in $YBa_2Cu_3O_{6.65}$ 301
- of $Tl_2Ba_2CuO_{6+\delta}$ 349

Structure
- of $BaBi_{1-x}Tl_xO_3$ ($0.0 \leqslant x \leqslant 0.5$) 535
- of $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ (single crystal) 79
- of $(Bi,Pb)_2Sr_2YCa_2O_{8+\delta}$ 282
- of $La_{2-x}Sr_xCuO_4$ 329
- of $(Ln_{1-x-y}Ln'_xSr_y)_2CuO_{4-\delta})$ 465
- of Nd_2CuO_4 203
- of $Tl_2Ba_2CuO_{6+\delta}$ 349
- of $TlBa_{1.2}La_{0.8}CuO_5$ 19
- of twin boundaries in $YBa_2Cu_3O_{7-\delta}$ 255
- of $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 191

Substitution effects
- in $YBa_{2-x}Sr_xCu_3O_{7-\delta}$ 261

Substitution effects of Ba
- in $Pb_2Sr_2(Y,Ca)Cu_3O_8$ 413

Substitution effects of Fe
- in $YBa_2Cu_3O_7$ 100

Substitution effects of Fe for Cu
- in $La_{2-x}Ba_xCuO_4$ ($0 \leqslant x \leqslant 0.35$) 518
- in $YBa_2Cu_3O_{7-\delta}$ 431

Substitution effects of Ni
- in $Bi_2Sr_2CaCu_{2-x}Ni_xO_y$ ($0 \leqslant x \leqslant 0.2$) 530

Substitution effects of Zn for Cu
- in $La_{2-x}Sr_xCuO_4$ 417

Superconductivity
- in $La_{2-x}(Sr,Ca)_xNiO_{4+\delta}$ ($0 \leqslant x \leqslant 0.4$) 361
- in $(Pb_{0.5}Cu_{0.5})(Sr,Ba)_2(Y,Ca)Cu_2O_7$ 413
- in $TlBa_{1.2}La_{0.8}CuO_5$ 19

Superconductivity in simple cubic Fe (possibility) 317

Supercurrents in composite ring
- of $YBa_2Cu_3O_7$ 277

Synthesis
- of $Bi_2(Ca,Sr)_{n+1}Cu_nO_{2n+4+\delta}$ with Pb ($n=3,4$) 125
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ using metallo-organic precursors 177
- of R_2CuO_4 (R=Y,Dy,Ho.Er,Tm) 111

TEM
- in $REBa_2Cu_3O_{7-\delta}$ 115

Thermal expansion
- of $YBa_2Cu_3O_7$ 323

Thin films
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial) 105

T–J model 206, 301

Tunneling
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) 543

Twin boundaries
- in $YBa_2Cu_3O_{7-\delta}$ 255
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 75

Two band model 301

T–P_{O_2} phase diagram
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 513

Ultrasound velocity
- in $La_{2-x}Sr_xCuO_4$ 87
- in $Nd_{2-x}Ce_xCuO_4$ 87
- in $YBa_2Cu_3O_{7-\delta}$ 87
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 405

Upper critical field H_{c2}
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 75
- of $Cu_{1.8}Mo_6S_8$ 25

Van der Waals interaction 53

Vortex–antivortex pairing 334

Vortex fluctuations 442

XAFS
- of $YBa_2Cu_{3-x}Fe_xO_y$ 235

XPS
- in $Nd_{1.85}Ce_{0.15}CuO_4$ 437
- of $Bi_2Sr_2CaCu_{2-x}Ni_xO_7$ 530

Physica C 166 (1990) 557–558
North-Holland

MATERIALS INDEX TO VOLUME 166

$BaBi_{1-x}Tl_xO_3$
– resistivity 535
– structure 535
$Bi_2(Ca,Sr)_{n+1}Cu_nO_{2n+4+\delta}$
– synthesis 125
$Bi_2Sr_2Ca_2Cu_3O_{10}$
– high pressure effect of T_c 523
$Bi_2Sr_2CaCu_2O_8$
– high pressure effect of T_c 523
$Bi_2Sr_2CaCu_2O_{8+\delta}$
– antiferromagnetic order 62
– electron tunneling 15
– energy gap 15
– microwave absorption 140, 231
– synthesis 177
– ultrasound velocity 405
$Bi_2Sr_2CaCu_{2-x}Ni_xO_7$
– XPS 530
$Bi_2Sr_2CaCu_{2-x}Ni_xO_y$
– substitution effects of Ni 530
$Bi_2Sr_2CuCu_2O_{8+\delta}$
– flux creep 62
$Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$
– modulated structures 79
– neutron diffraction 79
– structure 79
$(Bi,Pb)_2Sr_2YCa_2O_{8+\delta}$
– electron diffraction 282
– structure 282

$Cu_{1.8}Mo_6S_8$
– anisotropic superconductor 25
– Chevrel phase compound 25
– upper critical field H_{c2} 25

$ErBa_2Cu_3O_x$
– magnetic order 9
– magnetism and superconductivity 9
– neutron diffraction 9

$GdBa_2Cu_3O_{7-\delta}$
– Raman scattering 225

$HoBa_2Cu_4O_8$
– magnetization 393
– resistivity 393
– specific heat 393

$La_{2-x}Ba_xCuO_4$
– Mössbauer spectroscopy of Fe 518
– substitution effects of Fe for Cu 518
$La_{2-x}(Sr,Ca)_xNiO_{4+\delta}$
– magnetization 361
– superconductivity 361
$La_{2-x}Sr_xCuO_4$
– magnetic susceptibility 417
– neutron diffraction 329
– NQR of ^{139}La 310
– NQR of ^{63}Cu 310
– spin–lattice relaxation time T_1 310
– structure 329
– substitution effects of Zn for Cu 417
– ultrasound velocity 87
$(Ln_{1-x-y}Ln'_xSr_y)_2CuO_{4-\delta}$)
– structure 465

$Nd_{1.85}Ce_{0.15}CuO_4$
– oxygen reduction 437
– oxygen stoichiometry 437
– XPS 437
$Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$
– oxygen stoichiometry 357, 513
– T–P_{O_2} phase diagram 513
Nd_2CuO_4
– structure 203
$Nd_2CuO_{4-\delta}$
– oxygen stoichiometry 357
$Nd_{2-x}Ce_xCuO_4$
– ultrasound velocity 87
$(Nd,Ce)_2CuO_{4-\delta}$
– oxygen stoichiometry 357

$(Pb_{0.5}Cu_{0.5})(Sr,Ba)_2(Y,Ca)Cu_2O_7$
– superconductivity 413
$Pb_2Ba_2YCu_3O_{8+\delta}$
– oxygen stoichiometry 502
$Pb_2Sr_2(Y_1,Ca)Cu_3O_{9-\delta}$
– electrical resistivity 29
– single-crystal growth 29
$Pb_2Sr_2(Y,Ca)Cu_3O_8$
– substitution effects of Ba 413
$Pb_2SrLaCu_2O_{6+\delta}$
– oxygen stoichiometry 502

R_2CuO_4
– synthesis 111
$REBa_2Cu_3O_{7-\delta}$
– defect structures 115
– high pressure effect 115
– TEM 115

Ti_4O_7
– metal–insulator transition 158
– polaron 158
$Tl_2Ba_2Ca_2Cu_3O_{10}$
– high pressure effect of T_c 523
$Tl_2Ba_2CaCu_2O_x$
– flux lattice 486
– flux penetration 486
$Tl_2Ba_2CuO_{6+\delta}$
– HREM 349
– NMR of ^{205}Tl 349
– spin–lattice relaxation time T_1 349
– structure 349
$Tl_2Ba_2CuO_{6-\delta}$
– oxygen stoichiometry 497
$TlBa_{1.2}La_{0.8}CuO_5$
– neutron diffraction 19
– oxygen stoichiometry 19
– structure 19
– superconductivity 19
$TlBa_2Ca_2Cu_3O_9$
– electronic structure 476
$TlBa_2CaCu_2O_7$
– electronic structure 476
Tl–Ba–Ca–Cu–O
– AC susceptibility 221
– Raman scattering 399
$TmBa_2Cu_3O_{7-\delta}$
– critical current density 185
– lower critical field H_{c1} 185
– penetration depth 185

$Y_{1-x}Ho_xBa_2Cu_3O_{7-\delta}$
– O–T transition 266
– specific heat, low-T 266
$Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$
– neutron diffraction 191
– structure 191
$YBa_2(Cu_{0.98}Fe_{0.02})_3{}^{57}CoO_{7-\delta}$
– Mössbauer spectroscopy 248
$YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$
– infrared spectroscopy 431
– optical reflectivity 431
$YBa_2(Cu1-xFe_x)O_4$
– magnetoresistance 100
$YBa_2Cu_3O_{6.65}$

- Knight shift 301
- NMR of ^{17}O 301
- spin–lattice relaxation time T_1 301

$YBa_2Cu_3O_7$
- anistropy of specific heat in magnetic fields 451
- elastic constants 323
- electronic structure 483
- Madelung energy 483
- specific heat, in magnetic fields 451
- substitution effects of Fe 100
- supercurrents in composite ring 277
- thermal expansion 323

$YBa_2Cu_3O_{7-\delta}$
- AC loss 71
- AC susceptibility 215
- Andreev reflection 543
- antiferromagnetic order 62
- chemical reaction with Pt, Pd, Rh, Ru, Re 408
- enthalphy of oxidation 372
- Faraday effect 36
- flux creep 62
- flux-density gradients 36
- flux lattice 486
- flux penetration 486
- HREM 255
- magnetization 71
- neutron diffraction 372
- NMR 151
- oxygen stoichiometry 372
- phase diagram 472
- quench and melt growth 215
- structure 255
- substitution effects of Fe for Cu 431
- thin films 105
- tunneling 543
- twin boundaries 75, 255
- ultrasound velocity 87
- upper critical field H_{c2} 75

$YBa_2Cu_3O_x$
- O–T transition 289

$YBa_2Cu_{3-x}Fe_xO_y$
- isomer shift 235
- Mössbauer spectroscopy 235
- XAFS 235

$YBa_2Cu_4O_8$
- optical reflectivity 145
- resistivity 145

$YBa_{2-x}Sr_xCu_3O_{7-\delta}$
- oxygen stoichiometry 261
- substitution effects 261